

• **HES Emergency admissions, England, April 1991-December 1994**

“rha”

The “rha” variable is the Regional Health Authority in which the person is usually resident. It is only uniquely determined in the period 1991-1995, if the geographical area (recorded in the data by the DHA code of usual residence that was in use at the time) is unique to one particular RHA over the period 1991-1995. Mergers between districts of previously different regions; or districts partitioned between other districts of different regions, create geographical areas that have been coded as “indeterminate”. That which is determinate can be assigned to the 1991/2 RHA for the whole period 1991-95.

1	“A”	Northern
2	“B”	Yorkshire
3	“C”	Trent
4	“D”	East Anglia
5	“E”	North West Thames
6	“F”	North East Thames
7	“G”	South East Thames
8	“H”	South West Thames
9	“J”	Wessex
10	“K”	Oxford
11	“L”	South Western
12	“M”	West Midlands
13	“N”	Mersey
14	“P”	North Western
99		Indeterminate

“area”

Regional Health Authorities in England have been grouped into 4 areas:

1	[5,6,7,8]	[E,F,G,H]	London + SE	(NW Thames, NE Thames, SE Thames, SW Thames)
2	[9,10,11]	[J,K,L]	South Western	(Wessex, Oxford, South Western)
3	[3,4,12]	[C,D,M]	Midlands	(Trent, East Anglia, West Midlands)
4	[1,2,13,14]	[A,B,N,P]	Northern	(Northern, Yorkshire, Mersey, North Western)
99			Indeterminate	

“urban”



The “urban” variable is a classification of the district in which the person is usually resident. Mergers between districts of previously different “urban”; or districts partitioned between other districts of different “urban”, create geographical areas that have been coded as “indeterminate”. That which is determinate can be assigned to the same value of urban for the whole period 1991-95.

Standardised Event Ratios/ Standardised Mortality Ratios

- *SER's for a Regional Health Authority* are standardised for age (5 year age groups), sex and the urban-rural classification (and year if based on more than one year).
- *SER's for an urban-rural classification* are standardised for age (5 year age groups), sex and Regional Health Authority (and year if based on more than one year).
- *SER's for a combination of Regional Health Authority and the urban-rural classification* are standardised for age (5 year age groups), sex (and year if based on more than one year).
- *SER's for a combination of area of England and the urban-rural classification* are standardised for age (5 year age groups), sex (and year if based on more than one year).
- *SER's for a year* are standardised for age (5 year age groups), sex, Regional Health Authority and the urban-rural classification.
- *SER's for a combination of year and Regional Health Authority* are standardised for age (5 year age groups), sex and the urban-rural classification.
- *SER's for a combination of year and the urban-rural classification* are standardised for age (5 year age groups), sex and Regional Health Authority.
- *SER's for a combination of year and area of England* are standardised for age (5 year age groups), sex and the urban-rural classification.
- *SER's for a combination of Regional Health Authority and broad age group* are standardised for age (5 year age groups), sex and the urban-rural classification (and year if based on more than one year).
- *SER's for a combination of the urban-rural classification and broad age group* are standardised for age (5 year age groups), sex and Regional Health Authority (and year if based on more than one year).
- *SER's for a combination of year and broad age group* are standardised for age (5 year age groups), sex, Regional Health Authority and the urban-rural classification.



A11 Tuberculosis standard output graphs
Geographical comparisons and yearly trends (standardised event ratios)

- HES Emergency admissions, England, April 1991-December 1994





A11 Tuberculosis standard output graphs
Geographical comparisons and yearly trends (standardised event ratios)

- HES Emergency admissions, England, April 1991-December 1994





Geographical comparisons and yearly trends (standardised event ratios)

- HES Emergency admissions, England, April 1991-December 1994




Geographical comparisons and yearly trends (standardised event ratios)

- HES Emergency admissions, England, April 1991-December 1994




Geographical comparisons and yearly trends (standardised event ratios)

- HES Emergency admissions, England, April 1991-December 1994



h2ea6c1.gph
6. Respiratory tuberculosis

RHA
Graphs by urban/rural classification




h2ea6c2.gph
6. Respiratory tuberculosis

RHA
Graphs by urban/rural classification


Geographical comparisons and yearly trends (standardised event ratios)

- HES Emergency admissions, England, April 1991-December 1994



h2ea6c3.gph
6. Respiratory tuberculosis

RHA
Graphs by urban/rural classification




h2ea6c4.gph
6. Respiratory tuberculosis


RHA
Graphs by urban/rural classification

Geographical comparisons and yearly trends (standardised event ratios)

- HES Emergency admissions, England, April 1991-December 1994




h2ea6d1.gph
6. Respiratory tuberculosis




h2ea6d2.gph
6. Respiratory tuberculosis

A11 Tuberculosis standard output graphs
Geographical comparisons and yearly trends (standardised event ratios)

- HES Emergency admissions, England, April 1991-December 1994




h2ea6d3.gph
 6. Respiratory tuberculosis




h2ea6d4.gph
 6. Respiratory tuberculosis

Geographical comparisons and yearly trends (standardised event ratios)

- HES Emergency admissions, England, April 1991-December 1994




h2ea6e1.gph
6. Respiratory tuberculosis



h2ea6e2.gph
6. Respiratory tuberculosis


Geographical comparisons and yearly trends (standardised event ratios)

- HES Emergency admissions, England, April 1991-December 1994



h2ea6e3.gph
6. Respiratory tuberculosis

urban/rural classification
Graphs by Area of England




h2ea6e4.gph
6. Respiratory tuberculosis


urban/rural classification
Graphs by Area of England

Geographical comparisons and yearly trends (standardised event ratios)

- HES Emergency admissions, England, April 1991-December 1994




h2ea6f1.gph
6. Respiratory tuberculosis




h2ea6f2.gph
6. Respiratory tuberculosis

A11 Tuberculosis standard output graphs
Geographical comparisons and yearly trends (standardised event ratios)

- HES Emergency admissions, England, April 1991-December 1994




h2ea6g1.gph
 6. Respiratory tuberculosis




h2ea6g2.gph
 6. Respiratory tuberculosis

Geographical comparisons and yearly trends (standardised event ratios)

- HES Emergency admissions, England, April 1991-December 1994




h2ea6h1.gph
6. Respiratory tuberculosis




h2ea6h2.gph
6. Respiratory tuberculosis

Geographical comparisons and yearly trends (standardised event ratios)

- HES Emergency admissions, England, April 1991-December 1994



Year
Graphs by Area of England



Year
Graphs by Area of England